AMPUTOUS AUSTRAVIA AMPUTOUS AUSTRAVIA WANGE OF THE STREET AND A STREET





GREAT FOR:

FOR THE CONTROL OF BINDII AND OTHER WEEDS IN BUFFALO AND OTHER LAWNS AS INDICATED IN HOW TO USE TABLE.

Lawn Solutions Australia All Purpose Weed Control (APWC)

contains Bromoxynil, a selective contact foliage applied herbicide which has some limited systemic action in the plant used to control a variety of broadleaf weeds in grasses.

HOW IT WORKS

Bromoxynil inhibits photosynthetic electron transport and also uncouples oxidative phosphorylation in mitochondria, thereby stopping energy production and negatively affecting plant respiration. Both Bromoxynil and MCPA have relatively good U.V. stability which means that it can stay on the leaf of the weed and not break down in the sunlight before it has the chance to work on the target weed.

It is safe to use on (Buffalo or St Augustine's grass such as Sir Walter DNA Certified). However, it will damage the ST varieties.

APPLICATION:

APWC is available in a Ready-to-Use 2L hose-on pack which covers 200m². Measure lawn area before application to ensure correct dose rate is applied.

Hard to control weeds, such as clover, often need a follow up spray. This can be due to residual seeds in the lawn or parts of the root systems not full died off. Bindii are also hard to control as some weed seeds in lawn can last up to 5 years. The key is to get them before they set flower and reduce their number.

PRECAUTIONS:

Dangerous to fish. DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT feed treated grass clippings to livestock. DO NOT allow spray to contact or drift onto plants you do not want to be killed.

APWC Contains:

ACTIVE CONSTITUENTS:

12g/L BROMOXYNIL
present as
OCTANOATE ESTER
12g/L MCPA present as
the 2-ETHYLHEXL ESTER

SOLVENT:

20g/L Aromatic Hydrocarbon

SITUATION

Sir Walter, Couch, Bent, Kikuyu, Paspalum, Buffalo, Fescue, Rye lawns and turf.

WEEDS CONTROLLED

Bindii (Jo-Jo), Catsear, Clover (not Tas), Creeping Oxalis, Cudweed, Dandelion, Plantain, Thistles.

HOW TO APPLY

Apply evenly over the area to be treated. Do not mow for 2 days after treatment. Slight browning of grass may occur under hot conditions. More than one application may be required for clover control.



For more information please call **1300 883 711** or visit

lawnsolutionsaustralia.com.au